

Technical Data Sheet(TDS)

PVC Resin SG3

Packaging

25kgs PP or paper bag

Specification:

Parameter		Index
Standard: GB5761-2006		SG3
K - Value		72-70
Polymerizing Index		1350-1250
Number of impurity particles	≤	30
Volatile content (incl. water) %	≤	0.3
Apparent density	≥	0.55
Particle size	≥ 0.25mm ≤	2
	≥ 0.063mm ≥	95
Number of Fish Eye (/400 cm2) ≤		20
Plasticizer absorption of 100g resin ≥		19
Whiteness (160°C, after 10 min.) % ≥		74
VCM Residue PPM	≤	5

Note: the data above is for reference only.

